

FOCUS ON

PREVIEW

2023



FLAVIKER

FOCUS ON

FOUR
SEASONS
P06

LIMOGES
P26

FLOW
P02

MEMORIES
P14

FLAVIKER


FLOW

PASTA BIANCA
DA RIVESTIMENTO
WHITE BODY
WALL TILES

wall
FLOW
ocean satin 6x25



wall
FLOW
saffron glossy 6x25



wall
FLOW
tangerine glossy
6x25

ART WALLS
dripping lux
120x280

MEMORIES
belgian blue
nat. rett.
120x280

floor
MEMORIES
belgian blue nat. rett.
60x120

FLOW

PASTA BIANCA
DA RIVESTIMENTO

WHITE BODY
WALL TILES



WHITE		
8,5 mm		
6x25	satin	0011933




SAFFRON		
8,5 mm		
6x25	satin	0011937



WATERY		
8,5 mm		
6x25	satin	0011935



OCEAN		
8,5 mm		
6x25	satin	0011939



POWDER		
8,5 mm		
6x25	satin	0011934



TANGERINE		
8,5 mm		
6x25	satin	0011938



MINT		
8,5 mm		
6x25	satin	0011936



WHITE		
8,5 mm		
6x25	glossy	0011940




SAFFRON		
8,5 mm		
6x25	glossy	0011944



WATERY		
8,5 mm		
6x25	glossy	0011942



OCEAN		
8,5 mm		
6x25	glossy	0011946



POWDER		
8,5 mm		
6x25	glossy	0011941



TANGERINE		
8,5 mm		
6x25	glossy	0011945



MINT		
8,5 mm		
6x25	glossy	0011943

FOUR SEASONS

GRES PORCELLANATO
A MASSA COLORATA - UGL


COLORÉD BODY
PORCELAIN - UGL

P. tech

FLAVIKER presenta P.TECH, la nuovissima tecnologia che migliora le performance anti-scivolo dei pavimenti, mantenendo inalterati i valori di resistenza meccanica del gres porcellanato, con una finitura estremamente piacevole al tatto e facile da pulire.

FLAVIKER is presenting the innovative P.TECH technology, which improves the slip resistance of floors while delivering the renowned mechanical strength of porcelain stoneware and a finish that is both extremely pleasant to the touch and easy to clean.

floor
FOUR SEASONS
biscuit
nat. rett. 20x120



wall
MEMORIES
breccia imperiale
nat. rett. 120x280

floor
FOUR SEASONS
honey
nat. rett. 26x200



floor
FOUR SEASONS
industrial chocolate
nat. rett. 20x120

FOUR SEASONS

BISCUIT

6 mm			
26x200	nat. rett.	P.tech R10 C	0011805
8,5 mm			
30x120	nat. rett.	P.tech R10 C	0011808
20x120	nat. rett.	P.tech R10 C	0011811
10x60	nat. rett.	P.tech R10 C	0011814
20 mm			
30x120	R11 rett.		0011820

FOUR SEASONS

CHOCOLATE

6 mm			
26x200	nat. rett.	P.tech R10 C	0011803
8,5 mm			
30x120	nat. rett.	P.tech R10 C	0011806
20x120	nat. rett.	P.tech R10 C	0011809
10x60	nat. rett.	P.tech R10 C	0011812
20 mm			
30x120	R11 rett.		0011818

FOUR SEASONS

HONEY

6 mm			
26x200	nat. rett.	P.tech R10 C	0011804
8,5 mm			
30x120	nat. rett.	P.tech R10 C	0011807
20x120	nat. rett.	P.tech R10 C	0011810
10x60	nat. rett.	P.tech R10 C	0011813
20 mm			
30x120	R11 rett.		0011819

FOUR SEASONS



INDUSTRIAL BISCUIT

8,5 mm			
20x120	nat. rett.	P.tech R10 C	0011817



INDUSTRIAL CHOCOLATE

8,5 mm			
20x120	nat. rett.	P.tech R10 C	0011815



INDUSTRIAL HONEY

8,5 mm			
20x120	nat. rett.	P.tech R10 C	0011816



floor
FOUR SEASONS
industrial honey
nat. rett. 20x120

MEMORIES

GRES PORCELLANATO A MASSA A MASSA COLORATA - GL **3DTECH**

COLORED BODY PORCELAIN - GL **3DTECH**

GRES PORCELLANATO TUTTA MASSA - UGL **P.TECH**

FULLBODY PORCELAIN - UGL **P.TECH**



3D tech

La nuova tecnologia 3D Tech consente di applicare differenti materie ceramiche, anche a spessore, in perfetta corrispondenza con la grafica sottostante, realizzata in digitale ad altissima definizione. Un processo produttivo rivoluzionario, che combina la matericità con l'estetica del prodotto, fino ad ottenere superfici dallo straordinario valore sensoriale.

The new 3D Tech technology allows to apply thick coatings of different ceramic materials in perfect alignment with the underlying graphic designs, which are created digitally in extremely high definition. It is a revolutionary production process that combines material and aesthetic effects to create surfaces with extraordinary sensorial appeal.

P. tech

FLAVIKER presenta P.TECH, la nuovissima tecnologia che migliora le performance anti-scivolo dei pavimenti, mantenendo inalterati i valori di resistenza meccanica del gres porcellanato, con una finitura estremamente piacevole al tatto e facile da pulire.

FLAVIKER is presenting the innovative P.TECH technology, which improves the slip resistance of floors while delivering the renowned mechanical strength of porcelain stoneware and a finish that is both extremely pleasant to the touch and easy to clean.



wall and washbasin
MEMORIES
breccia imperiale
nat. rett. 120x280

grey soapstone
nat. rett. 120x280

floor
MEMORIES
grey soapstone
nat. rett. 60x120



floor
MEMORIES
pulpis ivory
nat. rett. 120x120

kitchen volume
MATERIA
pulpis ivory nat.
12mm



floor
MEMORIES
rosa perlino
antique 3d rett.
120x120

coffee table
MATERIA
dark stone nat.
12mm



floor
MEMORIES
breccia imperiale
antique 3d rett. 120x120

coffee table
MATERIA
bianco vagli soft 12 mm



floor
MEMORIES
belgian blue antique 3d rett.
120x120



floor
X20 MEMORIES
belgian blue
R11 rett. 60x120 20mm

MEMORIES

BIANCO VAGLI

6 mm			
120x280	nat. rett.	P.tech R10 C	0011824
120x120	nat. rett.	P.tech R10 C	0011832
60x120	nat. rett.	P.tech R10 C	0011838
8,5 mm			
120x120	antique 3d rett.	3Dtech	0011851
60x120	antique 3d rett.	3Dtech	0011857

MEMORIES

GREY SOAPSTONE

6 mm			
120x280	nat. rett.	P.tech R10 C	0011825
120x120	nat. rett.	P.tech R10 C	0011833
60x120	nat. rett.	P.tech R10 C	0011839
8,5 mm			
120x120	antique 3d rett.	3Dtech	0011852
60x120	antique 3d rett.	3Dtech	0011858

MEMORIES

BRECCIA IMPERIALE

6 mm			
120x280	nat. rett.	P.tech R10 C	0011827
120x120	nat. rett.	P.tech R10 C	0011835
60x120	nat. rett.	P.tech R10 C	0011841
8,5 mm			
120x120	antique 3d rett.	3Dtech	0011854
60x120	antique 3d rett.	3Dtech	0011860

MEMORIES

PULPIS IVORY

6 mm			
120x280	nat. rett.	P.tech R10 C	0011826
120x120	nat. rett.	P.tech R10 C	0011834
60x120	nat. rett.	P.tech R10 C	0011840
8,5 mm			
120x120	antique 3d rett.	3Dtech	0011853
60x120	antique 3d rett.	3Dtech	0011859
20 mm	X20		
60x120	R11 rett.		0011821

MEMORIES

ROSA PERLINO

6 mm			
120x280	nat. rett.	P.tech R10 C	0011823
120x120	nat. rett.	P.tech R10 C	0011831
60x120	nat. rett.	P.tech R10 C	0011837
8,5 mm			
120x120	antique 3d rett.	3Dtech	0011850
60x120	antique 3d rett.	3Dtech	0011856

MEMORIES

BELGIAN BLUE

6 mm			
120x280	nat. rett.	P.tech R10 C	0011828
120x120	nat. rett.	P.tech R10 C	0011836
60x120	nat. rett.	P.tech R10 C	0011842
8,5 mm			
120x120	antique 3d rett.	3Dtech	0011855
60x120	antique 3d rett.	3Dtech	0011861
20 mm	X20		
60x120	R11 rett.		0011822

LIMOGES

GRES PORCELLANATO
A MASSA COLORATA - GL

COLORÉD BODY
PORCELAIN - GL



3D tech

La nuova tecnologia 3D Tech consente di applicare differenti materie ceramiche, anche a spessore, in perfetta corrispondenza con la grafica sottostante, realizzata in digitale ad altissima definizione. Un processo produttivo rivoluzionario, che combina la matericità con l'estetica del prodotto, fino ad ottenere superfici dallo straordinario valore sensoriale.

The new 3D Tech technology allows to apply thick coatings of different ceramic materials in perfect alignment with the underlying graphic designs, which are created digitally in extremely high definition. It is a revolutionary production process that combines material and aesthetic effects to create surfaces with extraordinary sensorial appeal.



floor
LIMOGES
silver
antique 3d rett. 60x120



floor
LIMOGES
beige
antique 3d rett. 60x120

LIMOGES

BEIGE

8,5 mm

60x120	antique 3d rett.	3Dtech	0011110
--------	---------------------	--------	---------



LIMOGES

WHITE

8,5 mm			
60x120	antique 3d rett.	3Dtech	0011964

LIMOGES

SILVER

8,5 mm			
60x120	antique 3d rett.	3Dtech	0011112

CARATTERISTICHE TECNICHE
TECHNICAL CHARACTERISTICS

GRES PORCELLANATO TUTTA MASSA **P.TECH**
FULL BODY PORCELAIN **P.TECH**

X20 R11
GRES PORCELLANATO A MASSA COLORATA
FULL BODY COLORED PORCELAIN

CLASSIFICAZIONE SECONDO NORME UNI EN 14411 (ISO 13006) ALLEGATO G-Gruppo UGL
CLASSIFICATION IN ACCORDANCE WITH UNI EN 14411 (ISO 13006) ANNEX G-Group UGL

CLASSIFICAZIONE SECONDO NORME UNI EN 14411 (ISO 13006) ALLEGATO G-Gruppo Bla GL
CLASSIFICATION IN ACCORDANCE WITH UNI EN 14411 (ISO 13006) ANNEX G-Group Bla GL

PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	P.TECH 8,5 mm	R11 20 mm
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0.19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY 0.20 < μ < 0.39 SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY 0.40 < μ < 0.74 ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0.75 ATTRITO ECCELLENTE - EXCELLENT GRIP	>0,40	>0,40
	B.C.R.A. G.B.		>0,40	>0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	>0,60 DRY >0,60 WET	>0,60 DRY
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10	R11
	DIN 51097	-	C	A+B+C
	ANSI A 137-1:2012 (D.C.O.F.)	> 0,42	>0,42	>0,42
	AS/NZS 4586:2013	SRV : 35 - 44	P3 WET	P4 WET
	BS 7976 - 2.2002	> 36	+36 WET	+36 WET

P.tech

FLAVIKER presenta P.TECH, la superficie ceramica che coniuga perfettamente morbidezza e resistenza allo scivolamento. La ricerca e gli investimenti continui per migliorare l'estetica e le qualità tecniche del prodotto, hanno portato FLAVIKER a sviluppare la nuovissima tecnologia P.TECH, che migliora le performance anti-scivolo dei pavimenti, mantenendo inalterati i valori di resistenza meccanica del gres porcellanato, con una finitura estremamente piacevole al tatto e facile da pulire. P.TECH non è un trattamento di superficie, ma è la sintesi di un innovativo processo produttivo che coinvolge la selezione delle materie prime, la fase di pressatura e quella di cottura. Queste superfici, che rispondono positivamente ai parametri di attrito imposti dalle normative più severe AS/NZS 4586:2013 (Australian pendulum test) e BS 7976 - 2:2002 (British pendulum test), si igienizzano con acqua e comuni detergenti, pertanto costituiscono la scelta perfetta anche per i progetti di aree pubbliche o commerciali, comprese le aree outdoor, wellness & hospitality. I prodotti P.TECH per la loro versatilità permettono inoltre di utilizzare la stessa superficie in spazi differenti, ma comunicanti, come ad esempio interni ed esterni, garantendo la massima flessibilità progettuale.

FLAVIKER is presenting P.TECH, the ceramic surface that combines a soft touch with slip resistance. Ongoing research and investments aimed at improving the aesthetic and technical qualities of products has enabled Flaviker to develop the innovative P.TECH technology, which improves the slip resistance of floors while delivering the renowned mechanical strength of porcelain stoneware and a finish that is both extremely pleasant to the touch and easy to clean. P.TECH is not a surface treatment but the result of an innovative production process that combines raw material selection with the pressing and firing phases. These surfaces come up to the strictest standards in terms of coefficient of friction such as the AS/NZS 4586:2013 (Australian pendulum test) and BS 7976 - 2:2002 (British pendulum test) and can be cleaned using water and ordinary cleaning agents, making them the ideal choice for projects in public or commercial areas such as outdoor, wellness and hospitality spaces. P.TECH products are also sufficiently versatile to enable the same surface to be used in different but communicating spaces such as interiors and exteriors, thereby guaranteeing the maximum design flexibility.

FLAVIKER
BRAND OF ABK GROUP INDUSTRIE CERAMICHE S.P.A.
S.S. 569 per Vignola, 226
41014 Solignano di Castelvetro (Mo) Italy
T +39 (0) 59 9752011
F +39 (0) 59 9752010
flavikerpisa.it
#flaviker

